



ADDITIVE MANUFACTURING TECHNOLOGIES // AMT

# POSTPRO SFX COMPATIBLE MATERIALS

SUBJECT TO CHANGE





#### **POSTPRO COMPATIBLE MATERIALS**



MARKET NAME	MATERIAL COMPOSITION & DETAILS	MATERIAL CLASS	AM TECHNOLOGY
DuraForm HST	Fiber-reinforced Nylon 12 (PA 12)	Dalvamida 10	el e
DURAFORM ProX PA	Nylon 12 (PA 12)	Polyamide-12	SLS



MARKET NAME	MATERIAL COMPOSITION & DETAILS	MATERIAL CLASS	AM TECHNOLOGY
ROLASERIT® PA12-01	PA12	Polyamide -12	SLS



MARKET NAME	MATERIAL COMPOSITION & DETAILS	MATERIAL CLASS	AM TECHNOLOGY
PA 2200	PA12	Polyamide-12	SLS



MARKET NAME	MATERIAL COMPOSITION & DETAILS	MATERIAL CLASS	AM TECHNOLOGY
FS 3300 PA	PA1212		
FS 3300 PA-F	PA1212 - Optimized for absorbance of Fiber Laser Light for fast melting	Polyamide-12	SLS

#### formlabs 😿

MARKET NAME	MATERIAL COMPOSITION & DETAILS	MATERIAL CLASS	AM TECHNOLOGY
Nylon 12	Nylon 12 (PA 12)	Polyamide-12	SLS



MARKET NAME	MATERIAL COMPOSITION & DETAILS	MATERIAL CLASS	AM TECHNOLOGY
HP 3D High Reusability PA12	Polyamide 12 (PA12)	Polyamide-12	MJF
HP 3D High Reusability CB PA12	Full color PA12	Polyal filue-12	WIJF

## USX33D.

MARKET NAME	MATERIAL COMPOSITION & DETAILS	MATERIAL CLASS	AM TECHNOLOGY
xPA12	Nylon 12 (PA12)	Polyamide-12	SLS

#### **POSTPRO COMPATIBLE MATERIALS**



MARKET NAME	MATERIAL COMPOSITION & DETAILS	MATERIAL CLASS	AM TECHNOLOGY
PA12-L 1600	Nylon 12 (PA 12)	Polyamide-12	SLS

#### **⊗** SINTRATEC

MARKET NAME	MATERIAL COMPOSITION & DETAILS	MATERIAL CLASS	AM TECHNOLOGY
Sintratec PA12	Nylon 12 (PA 12)	Polyamide-12	SLS

## X SINTERIT

MARKET NAME	MATERIAL COMPOSITION & DETAILS	MATERIAL CLASS	AM TECHNOLOGY
PA12 Industrial	Polyamide 12 (PA12)	Dalvamida 12	CI C
PA12 Smooth	Polyamide 12 (PA12)	Polyamide-12	SLS



MARKET NAME	MATERIAL COMPOSITION & DETAILS	MATERIAL CLASS	AM TECHNOLOGY
SAF PA12	Nylon 12 (PA12)	Polyamide-12	SAF

### **W** wematter

MARKET NAME	MATERIAL COMPOSITION & DETAILS	MATERIAL CLASS	AM TECHNOLOGY
Aurora PA12	Polyamide 12 material	Polyamide-12	SLS

All the forestated materials have been tested by Additive Manufacturing Technologies and are approved for use with the PostPro SFX. If you wish to process materials which are not included, please contact AMT so that we can conduct benchmarking to validate them. We are continually expanding the material compatibility list with new materials. Please keep informed of any updates by visiting amtechnologies.com





AMT Fachhändler für Deutschland und die Schweiz

# 3D-MODEL

3D-MODEL GmbH Stahlstraße 13 88339 Bad Waldsee Deutschland Tel.: +49 7524 46424-0 3D-MODEL AG Marmorgasse 9 8004 Zürich Schweiz Tel.: +41 43 243 9036 info@3d-model.com www.3d-model.com www.shop.3d-model.com